

COLLOIDAL IRON KIT

The kit contains:

Acetic acid, Colloidal Iron (A) solution

Acetic acid, Colloidal Iron (B) solution

Colloidal Iron, stock solution

Fuchsin Acid Van Gieson reagent

HCL reagent, Colloidal Iron

Potassium hexacyanoferrate, Colloidal
Iron solution

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier	
	Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION
	Chemical name:	-
	Catalogue number:	OKA-OT-X**
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For use with Colloidal Iron kit.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax.:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2. Hazards identification		
2.1	Classification of the substance or mixture	
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Flam. Liq. 3	H226
	Skin Irr. 2	H315
	Eye Irr. 2	H319
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see SECTION 16		
2.2	Label elements	
	Product identification:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION
	Identification number:	-

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

Authorization number:	-
Hazard pictograms:	  GHS02 GHS07
Signal word:	Warning
Hazard statements:	H226 Flammable liquid and vapor H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements:	P260 Do not breathe dust/fume/gas/mist/vapours/spray. P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately contact POISON CENTER/physician. P308+P313 IF exposed or concerned: Get medical advice/ attention.
Supplemental hazard information (EU):	-

2.3 Other hazards

The product has no other known specific hazards for human or environment.

Results of PBT and vPvB assessment: Based on available data, the product does not contain any PBT or vPvB substances.

Endocrine disrupting property: Based on available data, does not contain endocrine disruptors.

SECTION 3. Composition/information on ingredients

CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
64-19-7/ 200-580-7/ 607-002-00-6	-	10 - 13 %	acetic acid, glacial 99%	Flam. Liq. 3; H226 Skin Corr. 1A; H314

SECTION 4. First aid measures

4.1 Description of first aid measures

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following skin contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following eye contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following ingestion:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
4.3	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5. Firefighting measures		
5.1	Extinguishing media	
	Suitable extinguishing media:	water spray, dry powder, CO ₂ or alcohol resistant foam
	Unsuitable extinguishing media:	Water with full jet
5.2	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	no information available
5.3	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.	
5.4	Additional information	
	Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. Do not contaminate the environment with extinguishing media.	

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

SECTION 6. Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures
6.1.1.	For non-emergency personnel
	Protective equipment: Use personal protective equipment (see Section 8).
	Accident prevention methods: Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.
	Emergency procedures: Mark the area using proper signs.
6.1.2.	For emergency responders:
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).
6.2	Environmental precautions:
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.
6.3	Methods and material for containment and cleaning up
6.3.1.	Bundling, covering of drains; capping procedures: Sand protective barrier or barriers made of similar materials.
6.3.2.	Cleaning up: Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information: Secure proper ventilation. Do not use incompatible materials (see Section 10).
6.4	Reference to other sections
	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7. Handling and storage	
7.1	Precautions for safe handling
7.1.1.	Protection measures
	Measures to prevent fire: Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.
	Measures to prevent aerosol and dust generation: Secure proper ventilation.
	Measures to protect the environment: Prevent spilling into the sewage system and waterways.

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

	Other measures:	Protect against electrostatic charges.
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection				
8.1	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
Acetic acid	64-19-7	10/20	25/50	-
Substance name: -				
EC No: - CAS No: -				
DNEL				
Industrial				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

Critical physical parameters: solubility, flammability, corrosivity:	-
----------------------------------------------------------------------	---

Consumer				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

PNEC	
Environmental protection target	PNEC
Fresh water	no information available
Freshwater sediments	no information available
Marine water	no information available
Marine sediments	no information available
Food chain	no information available
Microorganisms in sewage treatment	no information available
Soil (agricultural)	no information available
Air	no information available

8.2	Exposure controls	
8.2.1.	Appropriate engineering controls	
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	In accordance with Section 7.
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION		
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022
		Version:	3

	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374. Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min
	Other skin protection:	During everyday work use cotton clothing (EN 340) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties			
9.1	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Colour:	colourless	No information available
	Odour:	mild acetic acid like/no information available	No information available
	Odor threshold:	No information available	No information available
	pH:	No information available	No information available
	Melting point / freezing point:	No information available	No information available
	Initial boiling point and boiling range:	No information available	No information available
	Flash point:	No information available	No information available
	Evaporation rate:	No information available	No information available
	Flammability (solid, gas):	No information available	No information available

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION			
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version: 3

	Upper/lower flammability or explosive limits:	No information available	No information available
	Vapour pressure:	No information available	No information available
	Vapour density:	No information available	No information available
	Relative density:	No information available	No information available
	Bulk density:	No information available	No information available
	Solubility(ies):	No information available	No information available
	Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	Viscosity:	No information available	No information available
	Explosive properties:	No information available	No information available
	Oxidising properties:	No information available	No information available
9.2	Other information		
	-		

SECTION 10. Stability and reactivity		
10.1	Reactivity:	See subsections 10.3 through 10.5.
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	No information available
10.4	Conditions to avoid:	No information available
10.5	Incompatible materials:	No information available
10.6	Hazardous decomposition products:	No information available

SECTION 11. Toxicological information					
11.1 Information on toxicological effects					
Acute toxicity:					
Route of exposure:	Method	Species	Dose LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure time	Results
Oral:	No information available	-	No information available	-	-
Dermal:	No information available	-	No information available	-	-
Inhalation:	No information available	-	No information available	-	-

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

Specific target organ toxicity – single exposure (STOT SE):						
	Specific effects		Target organ		Note	
Oral:	No information available		No information available		-	
Dermal:	No information available		No information available		-	
Inhalation:	No information available		No information available		-	
Aspiration hazard: No information available.						
Irritation and corrosion						
	Exposure time	Species	Evaluation	Method	Note	
Skin corrosion/irritation:	-	-	-	-	-	
Serious eye damage/irritation	-	-	-	-	-	
Sensitization						
Skin sensitization:	No information available.					
Respiratory sensitization:	No information available.					
Symptoms related to the physical, chemical and toxicological characteristics						
Oral exposure:	Harmful if swallowed.					
Dermal exposure:	Harmful if absorbed through skin. May cause skin irritation.					
Inhalation exposure:	Harmful if inhaled. May cause respiratory tract irritation.					
Eye exposure:	May cause eye irritation.					
Repeated dose toxicity (subacute, subchronic, chronic)						
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION					
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3	

Subchronic oral	No information available	-				
Subchronic dermal	No information available	-				
Subchronic inhalation	No information available	-				
Chronic oral	No information available	-				
Chronic dermal	No information available	-				
Chronic inhalation	No information available	-				

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)

Carcinogenicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in vitro</i> :	Based on available data, the classification criteria are not met.
Genotoxicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in vivo</i> :	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

Summary of evaluation of the CMR properties:		Based on available data, the classification criteria are not met.			
11.2. Information on other hazards:					
11.2.1. Endocrine disrupting properties:					
Based on available data, does not contain endocrine disruptors.					
11.2.2. Other informations:					
-					

SECTION 12. Ecological information

12.1 Toxicity

Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	4 days	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

12.2 Persistence and degradability

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

Abiotic degradation				
	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation				
% Degradation	Time (days)	Method	Evaluation	Note
No information available				

12.3 Bioaccumulative potential						
Octanol-water partition coefficient (log Kow)						
Value	Concentration	pH	°C	Method	Evaluation	Note
-	-	-	-	-	-	-

Bioconcentration factor (BCF)				
Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Chronic ecotoxicity						
Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

Chronic toxicity on crustacea (<i>Daphnia</i>)	EC ₅₀	No information available	No information available	No information available	No information available	-
--------------------------------------------------	------------------	--------------------------	--------------------------	--------------------------	--------------------------	---

12.4 Mobility in soil

Known or predicted distribution in environmental compartments:						
No information available						
Surface tension:						
	Value	°C	Concentration	Method	Note	
	No information available	No information available	No information available	No information available	-	

Adsorption / desorption

Transport	A/D coefficient Henry's constant		log Kow	Evaporation rate	Method	Note
Soil-water	No information available	information available	No information available	No information available	No information available	-
Water-air	No information available	information available	No information available	No information available	No information available	-
Soil-air	No information available	information available	No information available	No information available	No information available	-

12.5 Results of PBT and vPvB assessment

Based on available data, the product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Based on available data, does not contain endocrine disruptors.

12.7 Other adverse effects

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION			
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version: 3

13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Law:
	15 01 10*: Packaging that contains residual hazardous substances or is contaminated with hazardous substances
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.
13.1.6.	Relevant Community provisions:
	Disposal must be made according to official regulations.

SECTION 14. Transport information

Transporting/shipment by road (ADR)	
UN number:	2790
UN proper shipping name:	Acetic acid solution
Transport hazard class(es):	8
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	2790
UN proper shipping name:	Acetic acid solution
Transport hazard class(es):	8
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION		
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022
		Version:	3

Inland waterway transport (ADN)	
UN number:	2790
UN proper shipping name:	Acetic acid solution
Transport hazard class(es):	8
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	2790
UN proper shipping name:	Acetic acid solution
Transport hazard class(es):	8
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	2790
UN proper shipping name:	Acetic acid solution
Transport hazard class(es):	8
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	-

SECTION 15. Regulatory information	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

	Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
	National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>
15.2	Chemical safety assessment	
	None	

SECTION 16. Other information		
16.1	Indication of changes:	-

Trading name:	ACETIC ACID, COLLOIDAL IRON (A) SOLUTION				
Product code:	OKA-OT-X**	Date of compilation:	23 Dec 2022	Version:	3

16.2	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	226	Flammable liquid and vapour.
	H: 314	Causes severe skin burns and eye damage.
	315	Causes skin irritation.
	319	Causes serious eye irritation.
16.6.	Training advice:	-
16.7.	Further information:	<p>** "X" in the product code marks different volumes (different packagings of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>

ANNEX: Exposure scenario resulting to chemical safety assessment
-

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION				
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version:	2

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1.	Product identifier	
	Trading name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION
	Chemical name:	-
	Product code:	OKB-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For use with Colloidal Iron kit.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device and there is no reason to use it for other purposes.
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4.	Emergency telephone numbers	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2. Hazards identification		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statement*:
	Skin Irr. 2	H315
	Eye Irr. 2	H319
2.1.2.	Additional information	
	-	
*For the full text of H and EUH phrases see Section 16.		
2.2.	Label elements	
	Product identification:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION
	Identification number:	-
	Authorisation number:	-

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION			
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version: 2

Hazard pictograms:	
	GHS07
Signal word:	Warning
Hazard statement:	H315 Causes skin irritation H319 Causes serious eye irritation.
Precautionary statement:	P280 Wear protective gloves/protective clothing/eye/protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/ attention.
Supplemental hazard information (EU):	-
2.3. Other hazards	
No known endocrine disrupting properties. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	

SECTION 3. Composition/information on ingredients

CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
64-19-7/ 200-580-7/ 607-002-00-6	-	4 – 5 %	acetic acid, glacial 99%	Flam. Liq. 3; H226 Skin Corr. 1A; H314

SECTION 4. First aid measures

4.1. Description of first aid measures	
General notes:	Move out of dangerous area. Show this safety data sheet to the doctor and first responders.
Following inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Get medical advice.
Following skin contact:	Wash off with soap and plenty of water. If irritation occurs and persists: Get medical advice.

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION			
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version: 2

	Following eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation occurs and persists: Get medical advice.
	Following ingestion:	Never give anything by mouth to an unconscious person. Rinse mouth with water.
	Self-protection of the first aider	-
4.2.	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following skin contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following eye contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following ingestion:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
4.3.	Indication of any immediate medical attention and special treatment needed	
	Treat symptomatically.	

SECTION 5. Firefighting measures

5.1.	Extinguishing media	
	Suitable extinguishing media:	Use dry chemical, CO ₂ , water spray (FOG) or foam.
	Unsuitable extinguishing media:	Avoid solid water stream as it may scatter and spread fire.
5.2.	Special hazards arising from the substance or mixture	
	Hazardous by products of fire:	Use water spray to cool fire exposed container surfaces and to protect personnel. Thermal decomposition can produce carbon monoxide (highly toxic) and carbon dioxide (an asphyxiant at sufficient concentrations).
5.3.	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray or vapor.	
5.4.	Additional information	
	Heating may cause container cracking due to increase in pressure. Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.	

SECTION 6. Accidental release measures

6.1.	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use suitable personal protective equipment (see Section 8).

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION				
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version:	2

	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).	
6.2.	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3.	Methods and materials for containment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.
6.3.2.	Cleaning up:	After removing the product, use water to wash the work space and used materials.
6.3.3.	Other information:	No information available.
6.4.	Reference to other sections	
	-	

SECTION 7. Handling and storage

7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Use in well ventilated storage rooms. Refer to the manufacturer's recommendations.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION				
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version:	2

Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3. Specific end use(s)	
Recommendations:	-
Industrial sector specific solutions:	-

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
Acetic acid	64-19-7	10/20	25/50	-

Substance: -

EC No: - CAS No: -

DNEL

Industrial

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

Critical physical parameters: solubility, flammability, corrosivity: -

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

PNEC

Environmental protection target	PNEC
---------------------------------	-------------

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION				
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version:	2

Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available
Air	No information available

8.2.	Exposure controls
-------------	--------------------------

8.2.1.	Appropriate engineering controls
---------------	-----------------------------------------

	Substance/mixture related measures to prevent exposure during identified uses:	Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.

8.2.2.	Personal protection equipment:
---------------	---------------------------------------

8.2.2.1.	Eye and face protection:	Safety glasses tested and approved under appropriate standards such as EN 166(EU).
8.2.2.2.	Skin protection:	
	Hand protection:	Handle with chemical resistant gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
	Other skin protection:	No specific protective equipment required.
8.2.2.3.	Respiratory protection:	Use when overexposure potential. Improper use of respirators is dangerous.
8.2.2.4.	Thermal hazards:	No information available

8.2.3.	Environmental exposure controls
---------------	----------------------------------------

	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION			
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version: 2

Technical measures to prevent exposure:	See Section 6
-----------------------------------------	---------------

SECTION 9. Physical and chemical properties

9.1.	Information on basic physical and chemical properties		
	Value	Method	
Physical state:	liquid	No information available	
Colour:	colourless	No information available	
Odour/odour threshold:	mild acetic acid like/no information available	No information available	
Melting point / freezing point:	No information available	No information available	
Boiling point or initial boiling point and boiling range:	No information available	No information available	
Flammability:	No information available	No information available	
Lower and upper explosion limit:	No information available	No information available	
Flash point:	No information available	No information available	
Auto-ignition temperature:	No information available	No information available	
Decomposition temperature:	No information available	No information available	
pH:	No information available	No information available	
Kinematic viscosity:	No information available	No information available	
Solubility:	No information available	No information available	
Partition coefficient n-octanol/water (log value):	No information available	No information available	
Vapour pressure:	No information available	No information available	
Density and/or relative density	No information available	No information available	
Relative vapour density:	No information available	No information available	
Particle characteristics:	No information available	No information available	
9.2.	Other information		
	-		

SECTION 10.: Stability and reactivity

10.1.	Reactivity:	Not reactive under normal conditions.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION				
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version:	2

10.3.	Possibility of hazardous reactions:	No information available.
10.4.	Conditions to avoid:	Contact with incompatible materials and temperature extremes.
10.5.	Incompatible materials:	Strong oxidizers.
10.6.	Hazardous decomposition products:	Does not decompose under normal conditions. During fire, thermal decomposition can produce carbon monoxide (highly toxic) and carbon dioxide (as asphyxiant as sufficient concentrations).

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity:

Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral:	No information available	-	No information available	-	-
Dermal:	No information available	-	No information available	-	-
Inhalation:	No information available	-	No information available	-	-

Specific target organ toxicity - single exposure (STOT-SE):

	Specific effects	Target organ	Note
Oral:	No information available	-	-
Dermal:	No information available	-	-
Inhalation:	No information available	-	-

Aspiration hazard:

-

Irritation and corrosion

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	No information available	rabbit	-	-	mild skin irritation

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION				
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version:	2

Chronic dermal	No information available					
Chronic inhalation	No information available					

Specific target organ toxicity - repeated exposure (STOT-RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	No information available
Subacute dermal	No information available	No information available	No information available
Subacute inhalation	No information available	No information available	No information available
Subchronic oral	No information available	No information available	No information available
Subchronic dermal	No information available	No information available	No information available
Subchronic inhalation	No information available	No information available	No information available
Chronic oral	No information available	No information available	No information available
Chronic dermal	No information available	No information available	No information available
Chronic inhalation	No information available	No information available	No information available

CMR effects (carcinogenicity, mutagenicity, reproductive toxicity)

Carcinogenicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in-vitro</i> :	Based on available data, the classification criteria are not met.
Genotoxicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in-vivo</i> :	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION			
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version: 2

	Summary of evaluation of the CMR properties:	No information available
11.2.	Information on other hazards:	
11.2.1.	Endocrine disrupting properties:	
	No known endocrine disrupting properties that affect human health.	
11.2.2.	Other informations:	
	-	

SECTION 12. Ecological information

12.1. Toxicity

Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	-	-	-	-
Crustacea:	EC ₅₀	48 hours	-	-	-	-
Algae/aquatic plants:	IC ₅₀	72 hours	-	-	-	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	-	-	-	-
Crustacea:	EC ₅₀	48 hours	-	-	-	-
Algae/aquatic plants:	IC ₅₀	72 hours	-	-	-	-
Other organisms	-	-	-	-	-	-

12.2. Persistence and degradability

Abiotic degradation				
	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-
Biodegradation				

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION			
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version: 2

% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

12.3. Bioaccumulative potential

Octanol-water partition coefficient (log Kow)

Value	Concentration	pH	°C	Method	Evaluation	Note
No information available	No information available	-	-	No information available	No information available	-

Bioconcentration Factor (BCF)

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Chronic ecotoxicity

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (Daphnia)	EC ₅₀	No information available	No information available	No information available	No information available	-

12.4. Mobility in soil

Known or predicted distribution in environmental compartments:

Surface tension:

Value	°C	Concentration	Method	Note

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION				
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version:	2

	No information available	No information available	No information available	No information available	-

Adsorption / desorption

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

12.5. Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6. Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No information available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal:

Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.

13.1.2. Waste codes/waste designations according to Law:

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION				
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version:	2

	Disposal must be made according to official regulations.	
13.1.3.	Waste treatment – relevant information:	
	No information available	
13.1.4.	Sewage disposal – relevant information:	
	Waste must not be disposed of into the sewage system.	
13.1.5.	Other disposal recommendations:	
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.	
13.1.6.	Relevant Community provisions:	
	-	
SECTION 14. Transport information		
	Transporting/shipment by road (ADR)	
UN number:	Not subject to transport regulations	
UN proper shipping name:	-	
Transport hazard class(es):	-	
Packing group:	-	
Environmental hazards:	-	
Special precautions for user:	-	
	Transporting/shipment by rail (RID)	
UN number:	Not subject to transport regulations	
UN proper shipping name:	-	
Transport hazard class(es):	-	
Packing group:	-	
Environmental hazards:	-	
Special precautions for user:	-	
	Transporting/shipment by inland waterways (ADN)	
UN number:	Not subject to transport regulations	
UN proper shipping name:	-	
Transport hazard class(es):	-	
Packing group:	-	
Environmental hazards:	-	

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION			
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version: 2

Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
Further information:	-

SECTION 15. Regulatory information

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	EU regulations	
	Authorisation and/or restrictions on use	
	Authorisations:	-
	Restrictions:	-

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION			
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version: 2

	Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
	National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>
15.2.	Chemical safety assessment	
	-	

SECTION 16. Other information

16.1.	Indication of changes:	-
16.2.	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	Manufacturer's MSDS file.

Trade name:	ACETIC ACID, COLLOIDAL IRON (B) SOLUTION			
Product code:	OKB-OT-X**	Date of compilation:	14 November 2022	Version: 2

16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)		
	Classification	Classification procedure	
	-	-	
16.5.	Relevant H statements (number and full text)		
	H:	226	Flammable liquid and vapour.
		314	Causes severe skin burns and eye damage.
		315	Causes skin irritation.
		319	Causes serious eye irritation.
16.6.	Training advice:		-
16.7.	Further information:		"X" in the product code marks different volumes (different packaging of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to Chemical safety assessment	
-	

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1.	Product identifier
	Trading name: COLLOIDAL IRON, STOCK SOLUTION
	Chemical name: -
	Catalogue number: KOL-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against
	Uses: Reagent for binding ferric ions to acid mucopolysaccharides and proteoglycans.
	Uses advised against: Only the identified uses are advised.
	Reason why uses advised against: The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes
1.3.	Details of the supplier of the safety data sheet
	Supplier: BioGnost Ltd.
	Address: Medjugorska 59, Zagreb
	Telephone number: +385 1 2409997
	Fax no.: +385 1 2404039
	e-mail of competent person: msds@biognost.hr
	National contact: -
1.4.	Emergency telephone number
	National Protection and Rescue Directorate: 112
	Medical information: +385 1 2348 342
	Other information: -

SECTION 2. Hazards identification	
2.1.	Classification of the substance or mixture
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)
	Hazard class and category code: Hazard statements*:
	Not identified as hazardous substance. -
2.1.2.	Additional information
	-
*For full text of Hazard- and EU Hazard-statements: see Section 16	
2.2.	Label elements
	Product identification: COLLOIDAL IRON, STOCK SOLUTION
	Identification number: -
	Authorization no.: -

Trading name:	COLLOIDAL IRON, STOCK SOLUTION			
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022	Version: 3

Hazard pictograms:	-
Signal word:	-
Hazard statements:	-
Precautionary statements:	-
Further information:	-

2.3. Other hazards

Endocrine Disrupting Properties:
 No known endocrine disrupting properties
Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3. Composition/information on ingredients

CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
-	-	-	Contains no hazardous substances	-

SECTION 4. First aid measures

4.1. Description of first aid measures

General notes:	-
Following inhalation:	No information available
Following skin contact:	No information available
Following eye contact:	No information available
Following ingestion:	No information available
Self-protection of the first aider:	Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

Following inhalation:	No information available
Following skin contact:	No information available
Following eye contact:	No information available
Following ingestion:	No information available

4.3. Indication of any immediate medical attention and special treatment needed

-

SECTION 5 Firefighting measures

5.1. Extinguishing media

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam
	Unsuitable extinguishing media:	water jet
5.2.	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	No information available
5.3.	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray or vapor.	
5.4.	Additional information	
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.	

SECTION 6. Accidental release measures		
6.1.	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Wear protective equipment (see Section 8).	
6.2.	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3.	Methods and material for containment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	-
6.4.	Reference to other sections	

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

	<p>See Section 7 for information about secure handling.</p> <p>See Section 8 for information about personal protective equipment.</p> <p>See Section 13 for information about containment.</p>
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 7. Handling and storage		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Keep away from sources of heat and ignition. Do not smoke.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection				
8.1.	Control parameters			
	Substance	CAS No	Occupational exposure limit values/short term values	Biological limit values
			ppm	mg/m ³

Trading name:	COLLOIDAL IRON, STOCK SOLUTION				
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

-	-	-	-	No information available
---	---	---	---	--------------------------

Substance name:	-			
EC No:	-	CAS No:	-	

DNEL

Industrial				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

Critical physical parameters: solubility, flammability, corrosivity: -

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

PNEC

Environmental protection target	PNEC
Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available
Air	No information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
Structural measures to prevent exposure:	No information available

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (preventing splashing) (EN 166) or visor.
8.2.2.2.	Skin protection	
	Hand protection:	Protective gloves must be according to the EU Directive 2016/425/EEC and standard EN 374. Glove material: nitrile rubber Glove thickness: ≥0.50 mm Break through time: >480 min
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 13034), and shoes that cover the entire foot (EN 10335).
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties

9.1.	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Colour:	orange brown	No information available
	Odour/odour threshold:	No information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

Lower and upper explosion limit:	No information available	No information available
Flash point:	No information available	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
pH:	1.0 – 1.7	No information available
Kinematic viscosity:	No information available	No information available
Solubility:	No information available	No information available
Partition coefficient n-octanol/water (log value):	No information available	No information available
Vapour pressure:	No information available	No information available
Density and/or relative density:	No information available	No information available
Relative vapour density:	No information available	No information available
Particle characteristics:	No information available	No information available
9.2.	Other information	
	-	

SECTION 10. Stability and reactivity		
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.
10.3.	Possibility of hazardous reactions:	No information available.
10.4.	Conditions to avoid:	No information available.
10.5.	Incompatible materials:	No information available.
10.6.	Hazardous decomposition products:	No information available.

SECTION 11. Toxicological information					
11.1. Information on toxicological effects					
Acute toxicity:					
Route of exposure:	Method	Species	Effective dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral exposure:	No information available	-	LD ₅₀	-	-
Dermal exposure:	No information available	-	LD ₅₀	-	-
Inhalation exposure:	No information available	-	LC ₅₀	-	-

Trading name:	COLLOIDAL IRON, STOCK SOLUTION					
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022	Version:	3	

Subchronic oral	No information available	-				
Subchronic dermal	No information available	-				
Subchronic inhalation	No information available	-				
Chronic oral	No information available	-				
Chronic dermal	No information available	-				
Chronic inhalation	No information available	-				

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity, mutagenicity, reproductive toxicity)

Carcinogenicity:	No information available
Mutagenicity <i>in-vitro</i> :	No information available
Genotoxicity:	No information available
Mutagenicity <i>in-vivo</i> :	No information available
Germ cell mutagenicity:	No information available
Reproductive toxicity:	No information available

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

Summary of evaluation of the CMR properties:		-
11.2	Information on other hazards:	
11.2.1.	Endocrine disrupting properties:	
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
11.2.2.	Other informations:	
	-	

SECTION 12. Ecological information						
12.1. Toxicity						
Acute toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	-	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	-	-
Algae/aquatic plants	IC ₅₀	8 days	No information available	No information available	-	-
Microorganisms	LC ₅₀	72 hours	-	-	-	-
Chronic toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	-	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	-	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	-	-

Trading name:	COLLOIDAL IRON, STOCK SOLUTION			
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022	Version: 3

Other organisms	-	-	-	-	-
-----------------	---	---	---	---	---

12.2. Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
No information available				

12.3. Bioaccumulative potential

Partition coefficient: n-octanol/water (log Kow):

Value	Concentration	pH	°C	Method	Evaluation	Note
-	No information available	-	-	No information available	No information available	-

Bioconcentration factor (BCF)

Value	Species	Method	Evaluation	Note
No information available				

Chronic ecotoxicity

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No	No	No	No information	-

Trading name:	COLLOIDAL IRON, STOCK SOLUTION				
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

		information available	information available	information available	available	
Chronic toxicity on crustacea (<i>Daphnia</i>)	EC ₅₀	No information available	No information available	No information available	No information available	-

12.4. Mobility in soil

Known or predicted distribution in environmental compartments:					
No information available					
Surface tension:					
	Value	°C	Concentration	Method	Note
	No information available	No information available	No information available	No information available	-

Adsorption / desorption

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

12.5. Results of PBT and vPvB assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.6. Endocrine disrupting properties

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

12.7.	Other adverse effects
-------	-----------------------

	No information available
--	--------------------------

SECTION 13. Disposal considerations	
--------------------------------------------	--

13.1.	Waste treatment methods
-------	-------------------------

13.1.1.	Product/Packaging disposal:
---------	-----------------------------

	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
--	------------------------------------------------------------------------------------------------------------

13.1.2.	Waste codes/waste designations according to Law:
---------	--------------------------------------------------

	No information available
--	--------------------------

13.1.3.	Waste treatment – relevant information:
---------	-----------------------------------------

	No information available
--	--------------------------

13.1.4.	Sewage disposal – relevant information:
---------	-----------------------------------------

	Waste must not be disposed of into the sewage system.
--	-------------------------------------------------------

13.1.5.	Other disposal recommendations:
---------	---------------------------------

	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

13.1.6.	Relevant Community provisions:
---------	--------------------------------

	-
--	---

SECTION 14. Transport information	
------------------------------------------	--

	Transporting/shipment by road (ADR)
--	-------------------------------------

UN number:	Not subject to transport regulations.
------------	---------------------------------------

UN proper shipping name:	-
--------------------------	---

Transport hazard class(es):	-
-----------------------------	---

Packing group:	-
----------------	---

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	-

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

	EU regulations	
	Authorization and/or restrictions of use	
	Authorizations:	-
	Restrictions:	-
	Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
	National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>
15.2.	Chemical safety assessment	
	None	

SECTION 16. Other information		
16.1.	Indication of changes:	-

Trading name:	COLLOIDAL IRON, STOCK SOLUTION		
Product code:	KOL-OT-X**	Date of compilation:	21 Dec 2022
		Version:	3

16.2.	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	H: -	-
16.6.	Training advice:	
		-
16.7.	Further information:	<p>** "X" in the product code marks different volumes (different packagings of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>

ANNEX:
Exposure scenario resulting to Chemical safety assessment
-

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier	
	Trading name:	FUCHSIN ACID VAN GIESON REAGENT
	Chemical name:	-
	Catalogue number:	FAG-OT-X**
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For use with special staining kits.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax.:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2. Hazards identification		
2.1	Classification of the substance or mixture	
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Not identified as hazardous substance.	-
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see SECTION 16		
2.2	Label elements	
	Product identification:	FUCHSIN ACID VAN GIESON REAGENT
	Identification number:	-
	Authorization number:	-
	Hazard pictograms:	-

Trading name:	FUCHSIN ACID VAN GIESON REAGENT			
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version: 6

Signal word:	-
Hazard statements:	-
Precautionary statements:	-
Supplemental hazard information (EU):	-

2.3	Other hazards
Endocrine Disrupting Properties: No known endocrine disrupting properties	
Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	

SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
88-89-1/ 201-865-9/ 609-009-00-X	-	< 2 %	picric acid	Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331

SECTION 4. First aid measures	
4.1	Description of first aid measures
General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
Following ingestion:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
Self-protection of the first aider:	-
4.2	Most important symptoms and effects, both acute and delayed

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

	Following inhalation:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following skin contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following eye contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following ingestion:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
4.3	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5. Firefighting measures		
5.1	Extinguishing media	
	Suitable extinguishing media:	water spray, dry powder, CO ₂ or alcohol resistant foam
	Unsuitable extinguishing media:	Water with full jet
5.2	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	no information available
5.3	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.	
5.4	Additional information	
	Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. Do not contaminate the environment with extinguishing media.	

SECTION 6. Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).	
6.2	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3	Methods and material for containment and cleaning up	

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

6.3.1.	Bundling, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).
6.4	Reference to other sections	
	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	

SECTION 7. Handling and storage		
7.1	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	Protect against electrostatic charges.
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)
	Recommendations: -
	Industrial sector specific solutions: -

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
-	-	-	-	-

Substance name:	-
EC No:	-
CAS No:	-

DNEL

Industrial

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

Critical physical parameters: solubility, flammability, corrosivity: -

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

PNEC

Environmental protection target	PNEC
Fresh water	no information available
Freshwater sediments	no information available
Marine water	no information available
Marine sediments	no information available

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Food chain	no information available
Microorganisms in sewage treatment	no information available
Soil (agricultural)	no information available
Air	no information available

8.2	Exposure controls
------------	--------------------------

8.2.1.	Appropriate engineering controls
---------------	-----------------------------------------

	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	In accordance with Section 7.
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.

8.2.2.	Personal protection equipment
---------------	--------------------------------------

8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374. Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min
	Other skin protection:	During everyday work use cotton clothing (EN 340) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available

8.2.3.	Environmental exposure controls
---------------	----------------------------------------

	Substance/mixture related measures to prevent exposure:	See Section 6
--	---------------------------------------------------------	---------------

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Structural measures to prevent exposure:	Use modern equipment.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties

9.1	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Colour:	red	No information available
	Odour/odour threshold:	no information available/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flash point:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density:	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2	Other information		
	-		

SECTION 10. Stability and reactivity

10.1	Reactivity:	See subsections 10.3 through 10.5.
------	-------------	------------------------------------

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	No information available
10.4	Conditions to avoid:	No information available
10.5	Incompatible materials:	No information available
10.6	Hazardous decomposition products:	No information available

SECTION 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Route of exposure:	Method	Species	Dose LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure time	Results
Oral:	No information available	-	No information available	-	-
Dermal:	No information available	-	No information available	-	-
Inhalation:	No information available	-	No information available	-	-

Specific target organ toxicity – single exposure (STOT SE):

	Specific effects	Target organ	Note
Oral:	No information available	No information available	-
Dermal:	No information available	No information available	-
Inhalation:	No information available	No information available	-

Aspiration hazard: No information available.

Irritation and corrosion

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	-	-	-	-	-
Serious eye damage/irritation	-	-	-	-	-

Sensitization

Skin sensitization:	No information available.
Respiratory sensitization:	No information available.

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Symptoms related to the physical, chemical and toxicological characteristics						
------------------------------------------------------------------------------	--	--	--	--	--	--

Oral exposure:	Harmful if swallowed.
Dermal exposure:	Harmful if absorbed through skin. May cause skin irritation.
Inhalation exposure:	Harmful if inhaled. May cause respiratory tract irritation.
Eye exposure:	May cause eye irritation.

Repeated dose toxicity (subacute, subchronic, chronic)						
--------------------------------------------------------	--	--	--	--	--	--

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	-				
Subacute dermal	No information available	-				
Subacute inhalation	No information available	-				
Subchronic oral	No information available	-				
Subchronic dermal	No information available	-				
Subchronic inhalation	No information available	-				
Chronic oral	No information available	-				
Chronic dermal	No information available	-				
Chronic inhalation	No information available	-				

Specific target organ toxicity – repeated exposure (STOT RE):			
	Specific effects	Target organ	Note

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)			
Carcinogenicity:	Based on available data, the classification criteria are not met.		
Mutagenicity <i>in vitro</i> :	Based on available data, the classification criteria are not met.		
Genotoxicity:	Based on available data, the classification criteria are not met.		
Mutagenicity <i>in vivo</i> :	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.		
Reproductive toxicity:	Based on available data, the classification criteria are not met.		
Summary of evaluation of the CMR properties:	Based on available data, the classification criteria are not met.		

11.2	Information on other hazards:
11.2.1.	Endocrine disrupting properties:
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
11.2.2.	Other informations:
	-

SECTION 12. Ecological information

12.1	Toxicity					
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	4 days	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

12.2 Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
No information available				

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

--	--	--	--	--	--	--

12.3	Bioaccumulative potential
-------------	----------------------------------

	Octanol-water partition coefficient (log Kow)
--	-----------------------------------------------

Value	Concentration	pH	°C	Method	Evaluation	Note
-	-	-	-	-	-	-

--	--	--	--	--	--	--

	Bioconcentration factor (BCF)
--	-------------------------------

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

--	--	--	--	--	--	--

	Chronic ecotoxicity
--	---------------------

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (<i>Daphnia</i>)	EC ₅₀	No information available	No information available	No information available	No information available	-

--	--	--	--	--	--	--

12.4	Mobility in soil
-------------	-------------------------

	Known or predicted distribution in environmental compartments:
--	----------------------------------------------------------------

	No information available
--	--------------------------

	Surface tension:
--	------------------

Value	°C	Concentration	Method	Note
No information available	No information available	No information available	No information available	-

--	--	--	--	--	--	--

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Adsorption / desorption						
Transport	A/D coefficient Henry's constant		log Kow	Evaporation rate	Method	Note
Soil-water	No information available	information	No information available	No information available	No information available	-
Water-air	No information available	information	No information available	No information available	No information available	-
Soil-air	No information available	information	No information available	No information available	No information available	-

12.5 Results of PBT and vPvB assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

13.1.1. Product/Packaging disposal:

Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.

13.1.2. Waste codes/waste designations according to Law:

15 01 10*: Packaging that contains residual hazardous substances or is contaminated with hazardous substances

13.1.3. Waste treatment – relevant information:

No information available

13.1.4. Sewage disposal – relevant information:

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations: Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.
13.1.6.	Relevant Community provisions: Disposal must be made according to official regulations.

SECTION 14 TRANSPORT INFORMATION

	Transporting/shipment by road (ADR)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
	Transporting/shipment by rail (RID)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
	Inland waterway transport (ADN)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
	Transporting/shipment by sea (IMDG)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-

Trading name:	FUCHSIN ACID VAN GIESON REAGENT				
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	

SECTION 15. Regulatory information	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -
	<p>Other EU regulations:</p> <p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Trading name:	FUCHSIN ACID VAN GIESON REAGENT			
Product code:	FAG-OT-X**	Date of compilation:	21 Dec 2022	Version: 6

	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessment	
	None	

SECTION 16. Other information

16.1	Indication of changes:	-
16.2	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	H:	-
16.6.	Training advice:	-
16.7.	Further information:	<p>** "X" in the product code marks different volumes (different packagings of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>

ANNEX: Exposure scenario resulting to chemical safety assessment
-

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1.	Product identifier
	Trading name: HCL REAGENT, COLLOIDAL IRON
	Chemical name: -
	Catalogue number: HCLK-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against
	Uses: For use with Colloidal Iron kit.
	Uses advised against: Only the identified uses are advised.
	Reason why uses advised against: The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes
1.3.	Details of the supplier of the safety data sheet
	Supplier: BioGnost Ltd.
	Address: Medjugorska 59, Zagreb
	Telephone number: +385 1 2409997
	Fax no.: +385 1 2404039
	e-mail of competent person: msds@biognost.hr
	National contact: -
1.4.	Emergency telephone number
	National Protection and Rescue Directorate: 112
	Medical information: +385 1 2348 342
	Other information: -

SECTION 2. Hazards identification	
2.1.	Classification of the substance or mixture
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)
	Hazard class and category code: Hazard statements*:
	Not identified as hazardous substance. -
2.1.2.	Additional information
	-
*For full text of Hazard- and EU Hazard-statements: see Section 16	
2.2.	Label elements
	Product identification: HCL REAGENT, COLLOIDAL IRON
	Identification number: -
	Authorization no.: -
	Hazard pictograms: -

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

Signal word:	-
Hazard statements:	-
Precautionary statements:	-
Supplemental hazard information (EU):	-

2.3.	Other hazards
	Endocrine Disrupting Properties: No known endocrine disrupting properties.

SECTION 3. Composition/information on ingredients

CAS/EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
7647-01-0/ 231-595-7/ 017-002-00-2	-	0.7 - 1 %	hydrochloric acid	Skin Corr. 1B; H314 STOT SE 3; H335

SECTION 4. First aid measures

4.1.	Description of first aid measures	
	General notes:	-
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. If breathing becomes erratic or it stops, immediately apply artificial respiration (other than mouth-to-mouth) and contact a physician.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water and soap. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open using clean fingers. If the symptoms remain, immediately call a physician.
	Following ingestion:	Do not induce vomiting. Make the afflicted person drink a glass of water. If spontaneous vomiting occurs, wash the mouth with water, then make the person drink 100-200 ml of water and seek medical attention.
	Self-protection of the first aider:	Treat symptomatically.
4.2.	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	No information available
	Following skin contact:	No information available
	Following eye contact:	No information available

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

	Following ingestion:	No information available
4.3.	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5. Firefighting measures		
5.1.	Extinguishing media	
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam
	Unsuitable extinguishing media:	water jet
5.2.	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	No information available
5.3.	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray or vapor.	
5.4.	Additional information	
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.	

SECTION 6. Accidental release measures		
6.1.	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Wear protective equipment (see Section 8).	
6.2.	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3.	Methods and material for containment and cleaning up	
6.3.1.	Bundling, covering of drains; capping procedures:	Sand or clay barriers.

Trading name:	HCL REAGENT, COLLOIDAL IRON				
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022	Version:	2

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	-
6.4.	Reference to other sections	
	See Section 7 for information about secure handling. See Section 8 for information about personal protective equipment. See Section 13 for information about containment.	

SECTION 7. Handling and storage		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Keep away from sources of heat and ignition. Do not smoke.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3.	Specific end use(s)	

Trading name:	HCL REAGENT, COLLOIDAL IRON			
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022	Version: 2

Recommendations:	-
Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
-	-	-	-	No information available

Substance name:	-
EC No:	-
CAS No:	-

DNEL

Industrial

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

Critical physical parameters: solubility, flammability, corrosivity: -

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

PNEC

Environmental protection target	PNEC
Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

Air	No information available	
8.2.	Exposure controls	
8.2.1.	Appropriate engineering controls	
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (preventing splashing) (EN 166) or visor.
8.2.2.2.	Skin protection	
	Hand protection:	Protective gloves must be according to the EU Directive 2016/425/EEC and standard EN 374. Glove material: nitrile rubber Glove thickness: ≥0.50 mm Break through time: >480 min
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 13034), and shoes that cover the entire foot (EN 10335).
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

9.1. Information on basic physical and chemical properties			
		Value	Method
	Physical state:	liquid	No information available
	Color:	colourless	No information available
	Odour/odour threshold:	no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flash point:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2. Other information			
		-	

SECTION 10.: Stability and reactivity		
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.
10.3.	Possibility of hazardous reactions:	No information available.
10.4.	Conditions to avoid:	No information available.
10.5.	Incompatible materials:	No information available.
10.6.	Hazardous decomposition products:	No information available.

SECTION 11. Toxicological information	
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008

Trading name:	HCL REAGENT, COLLOIDAL IRON			
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022	Version: 2

Acute toxicity:

Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral exposure:	No information available	-	LD ₅₀	-	-
Dermal exposure:	No information available	-	LD ₅₀	-	-
Inhalation exposure:	No information available	-	LC ₅₀	-	-

Specific target organ toxicity – single exposure (STOT SE):

	Specific effects	Target organ	Note
Oral exposure:	No information available	No information available	-
Dermal exposure:	No information available	No information available	-
Inhalation exposure:	No information available	No information available	-

Aspiration hazard: No information available

Irritation and corrosion:

	Exposure time	Species	Evaluation	Method	Note
Skin irritation:	-	-	-	-	-
Eye irritation:	-	-	-	-	-

Sensitization

Dermal exposure:	No information available
Inhalation exposure:	No information available

Symptoms related to the physical, chemical and toxicological characteristics

Oral exposure:	No information available
Dermal exposure:	No information available
Inhalation exposure:	No information available
Eye exposure:	No information available

Repeated dose toxicity (subacute, subchronic, chronic)

Trading name:	HCL REAGENT, COLLOIDAL IRON				
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022	Version:	2

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	-				
Subacute dermal	No information available	-				
Subacute inhalation	No information available	-				
Subchronic oral	No information available	-				
Subchronic dermal	No information available	-				
Subchronic inhalation	No information available	-				
Chronic oral	No information available	-				
Chronic dermal	No information available	-				
Chronic inhalation	No information available	-				

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-

Trading name:	HCL REAGENT, COLLOIDAL IRON				
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022	Version:	2

Chronic inhalation	No information available	No information available	-
CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)			
Carcinogenicity:	Based on available data, the classification criteria are not met.		
Mutagenicity <i>in-vitro</i> :	Based on available data, the classification criteria are not met.		
Genotoxicity:	Based on available data, the classification criteria are not met.		
Mutagenicity <i>in-vivo</i> :	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.		
Reproductive toxicity:	Based on available data, the classification criteria are not met.		
Summary of evaluation of the CMR properties: -			
11.2. Information on other hazards:			
11.2.1. Endocrine disrupting properties:			
No known endocrine disrupting properties that affect human health.			
11.2.2. Other informations:			
-			

SECTION 12. Ecological information						
12.1. Toxicity						
Acute toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	-	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	-	-
Algae/aquatic plants	IC ₅₀	8 days	No information available	No information available	-	-
Microorganisms	LC ₅₀	72 hours	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-

Trading name:	HCL REAGENT, COLLOIDAL IRON				
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022	Version:	2

Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

12.2. Persistence and degradability

Abiotic degradation				
	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
No information available				

12.3. Bioaccumulative potential

Octanol-water partition coefficient (log K _{ow})						
Value	Concentration	pH	°C	Method	Evaluation	Note
-	No information available	-	-	No information available	No information available	-

Bioconcentration factor (BCF)

Value	Species	Method	Evaluation	Note
No information available				

Chronic ecotoxicity

Trading name:	HCL REAGENT, COLLOIDAL IRON				
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022	Version:	2

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (<i>Daphnia</i>)	EC ₅₀	No information available	No information available	No information available	No information available	-

12.4. Mobility in soil

Known or predicted distribution in environmental compartments:					
No information available					
Surface tension:					
	Value	°C	Concentration	Method	Note
	No information available	No information available	No information available	No information available	-

Adsorption / desorption

Transport	A/D coefficient Henry's constant		log Kow	Evaporation rate	Method	Note
Soil-water	No information available	information available	No information available	No information available	No information available	-
Water-air	No information available	information available	No information available	No information available	No information available	-
Soil-air	No information available	information available	No information available	No information available	No information available	-

12.5. Results of PBT and vPvB assessment

No information available					
--------------------------	--	--	--	--	--

12.6. Endocrine disrupting properties

No known endocrine disrupting properties that affect the environment.					
-----------------------------------------------------------------------	--	--	--	--	--

12.7. Other adverse effects

No adverse effects are expected.					
----------------------------------	--	--	--	--	--

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

SECTION 13. Disposal considerations	
13.1.	Waste treatment methods
13.1.1.	Product/Packaging disposal: Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Law: No information available
13.1.3.	Waste treatment – relevant information: No information available
13.1.4.	Sewage disposal – relevant information: Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations: Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
13.1.6.	Relevant Community provisions: -
SECTION 14. Transport information	
Transporting/shipment by road (ADR)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	The product is not subject to classification.

SECTION 15. Regulatory information	
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>
15.2. Chemical safety assessment	None

SECTION 16. Other information											
16.1. Indication of changes:	-										
16.2. Abbreviations and acronyms:	<table> <tr> <td>PBT</td> <td>Stable, bioaccumulative and toxic</td> </tr> <tr> <td>vPvB</td> <td>Strongly stable and strongly bioaccumulative.</td> </tr> <tr> <td>LD₅₀</td> <td>Lethal dose, 50%</td> </tr> <tr> <td>LC₅₀</td> <td>Lethal concentration, 50%</td> </tr> <tr> <td>STOT-SE</td> <td>Specific target organ toxicity - single exposure</td> </tr> </table>	PBT	Stable, bioaccumulative and toxic	vPvB	Strongly stable and strongly bioaccumulative.	LD ₅₀	Lethal dose, 50%	LC ₅₀	Lethal concentration, 50%	STOT-SE	Specific target organ toxicity - single exposure
PBT	Stable, bioaccumulative and toxic										
vPvB	Strongly stable and strongly bioaccumulative.										
LD ₅₀	Lethal dose, 50%										
LC ₅₀	Lethal concentration, 50%										
STOT-SE	Specific target organ toxicity - single exposure										
16.3. Key literature references and source of data:	-										
16.4. Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)											
Classification	Classification procedure										
-	-										

Trading name:	HCL REAGENT, COLLOIDAL IRON		
Product code:	HCLK-OT-X**	Date of compilation:	14 November 2022
		Version:	2

16.5.	Relevant H statements (number and full text)	
	H: 314 335	Causes severe skin burns and eye damage. May cause respiratory irritation.
16.6.	Training advice:	-
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to Chemical safety assessment	
-	

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION		
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022
		Version:	2

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1.	Product identifier	
	Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION
	Chemical name:	-
	Catalogue number:	KHCK-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For use with Colloidal Iron kit.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Fax no.:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4.	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2 HAZARDS INFORMATION		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification (REGULATION (EC) No. 1272/2008 (CLP))	
	Hazard class and category code:	Hazard statements*:
	Not identified as hazardous substance.	-
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16		
2.2.	Classification according to EC Directive Nr. 1272/2008 CLP)	
	Product identification:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION
	Identification number:	-
	Authorization no.:	-
	Hazard pictograms:	-

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION			
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version: 2

Signal word:	-
Hazard statements:	-
Precautionary statements:	-
Further information:	-

2.3.	Other hazards
<p>Endocrine Disrupting Properties: No known endocrine disrupting properties</p> <p>Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.</p>	

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS				
---------------------------------------------------------	--	--	--	--

CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
-	-	-	Contains no hazardous substances	-

SECTION 4 FIRST AID MEASURES	
-------------------------------------	--

4.1.	Description of first aid measures
------	------------------------------------------

General notes:	-
Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. If breathing becomes erratic or it stops, immediately apply artificial respiration (other than mouth-to-mouth) and contact a physician.
Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water and soap. Seek medical assistance if the symptoms of irritation remain.
Following eye contact:	Rinse out with plenty of water with the eyelid held wide open using clean fingers. If the symptoms remain, immediately call a physician.
Following ingestion:	Do not induce vomiting. Make the afflicted person drink a glass of water. If spontaneous vomiting occurs, wash the mouth with water, then make the person drink 100-200 ml of water and seek medical attention.
Self-protection of the first aider:	Treat symptomatically.

4.2.	Most important symptoms and effects, both acute and delayed
------	--------------------------------------------------------------------

Following inhalation:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
Following skin contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION				
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version:	2

	Following eye contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following ingestion:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
4.3.	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5 FIREFIGHTING MEASURES		
5.1.	Extinguishing media	
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam
	Unsuitable extinguishing media:	water jet
5.2.	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	No information available
5.3.	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray or vapor.	
5.4.	Additional information	
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.	

SECTION 6 ACCIDENTAL RELEASE MEASURES		
6.1.	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Wear protective equipment (see Section 8).	
6.2.	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3.	Methods and material for containment and cleaning up	
6.3.1.	Bundling, covering of drains; capping procedures:	Sand or clay barriers.

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION				
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version:	2

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	-
6.4.	Reference to other sections	
	-	

SECTION 7 HANDLING AN STORAGE		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Keep away from sources of heat and ignition. Do not smoke.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION			
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version: 2

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
-	-	-	-	No information available

Substance name:	-
EC No:	-
CAS No:	-

DNEL

Industrial

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

Critical physical parameters: solubility, flammability, corrosivity: -

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

PNEC

Environmental protection target	PNEC
Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available
Air	No information available

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION		
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022
		Version:	2

8.2.	Exposure controls	
8.2.1.	Engineering measures	
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (preventing splashing) (EN 166) or visor.
8.2.2.2.	Skin protection	
	Hand protection:	Protective gloves must be according to the EU Directive 2016/425/EEC and standard EN 374. Glove material: nitrile rubber Glove thickness: ≥0.50 mm Break through time: >480 min
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 13034), and shoes that cover the entire foot (EN 10335).
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES		
9.1.	Information on basic physical and chemical properties	
	Value	Method

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION		
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022
		Version:	2

Physical state:	liquid	No information available
Colour:	light yellow	No information available
Odour/odour threshold:	no information available	No information available
Melting point / freezing point:	No information available	No information available
Boiling point or initial boiling point and boiling range:	No information available	No information available
Flammability:	No information available	No information available
Lover and upper explosion limit:	No information available	No information available
Flash point:	No information available	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
pH:	No information available	No information available
Kinematic viscosity:	No information available	No information available
Solubility:	No information available	No information available
Partition coefficient n-octanol/water (log value):	No information available	No information available
Vapour pressure:	No information available	No information available
Density and/or relative density:	No information available	No information available
Relative vapour density:	No information available	No information available
Particle characteristics:	No information available	No information available
9.2.	Other information	
	-	

SECTION 10 STABILITY AND REACTIVITY		
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.
10.3.	Possibility of hazardous reactions:	No information available
10.4.	Conditions to avoid:	No information available
10.5.	Incompatible materials:	No information available
10.6.	Hazardous decomposition products:	No information available

SECTION 11 TOXICOLOGICAL INFORMATION	
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
	Acute toxicity:

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION				
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version:	2

Route of exposure:	Method	Species	Effective dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral exposure:	No information available	-	LD ₅₀	-	-
Dermal exposure:	No information available	-	LD ₅₀	-	-
Inhalation exposure:	No information available	-	LC ₅₀	-	-

--	--	--	--	--	--

Specific target organ toxicity – single exposure (STOT SE):					
-------------------------------------------------------------	--	--	--	--	--

	Specific effects	Target organ	Note
Oral exposure:	No information available	No information available	-
Dermal exposure:	No information available	No information available	-
Inhalation exposure:	No information available	No information available	-

--	--	--	--	--	--

Respiratory irritation:	No information available				
-------------------------	--------------------------	--	--	--	--

--	--	--	--	--	--

Irritation and corrosion					
--------------------------	--	--	--	--	--

	Exposure time	Species	Evaluation	Method	Note
Skin irritation:	-	-	-	-	-
Eye irritation:	-	-	-	-	-

--	--	--	--	--	--

Sensitization					
---------------	--	--	--	--	--

Dermal exposure:	No information available				
------------------	--------------------------	--	--	--	--

Inhalation exposure:	No information available				
----------------------	--------------------------	--	--	--	--

--	--	--	--	--	--

Symptoms related to the physical, chemical and toxicological characteristics					
------------------------------------------------------------------------------	--	--	--	--	--

Oral exposure:	No information available				
----------------	--------------------------	--	--	--	--

Dermal exposure:	No information available				
------------------	--------------------------	--	--	--	--

Inhalation exposure:	No information available				
----------------------	--------------------------	--	--	--	--

Eye exposure:	No information available				
---------------	--------------------------	--	--	--	--

--	--	--	--	--	--

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION				
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version:	2

Repeated dose toxicity (subacute, subchronic, chronic)						
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	-				
Subacute dermal	No information available	-				
Subacute inhalation	No information available	-				
Subchronic oral	No information available	-				
Subchronic dermal	No information available	-				
Subchronic inhalation	No information available	-				
Chronic oral	No information available	-				
Chronic dermal	No information available	-				
Chronic inhalation	No information available	-				

Specific target organ toxicity – repeated exposure (STOT RE):			
	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION				
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version:	2

Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity, mutagenicity, reproductive toxicity)	
Carcinogenicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in-vitro</i> :	Based on available data, the classification criteria are not met.
Genotoxicity:	Based on available data, the classification criteria are not met.
Mutagenicity <i>in-vivo</i> :	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
Summary of evaluation of the CMR properties: -	

11.2 Information on other hazards:

11.2.1. Endocrine disrupting properties:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other informations:

-

SECTION 12 ECOLOGICAL INFORMATION:

12.1. Toxicity

Acute toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	-	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	-	-
Algae/aquatic plants	IC ₅₀	8 days	No information available	No information available	-	-

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION					
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version:	2	

Chronic toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Microorganisms	LC ₅₀	72 hours	-	-	-	-
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

12.2. Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
No information available				

12.3. Bioaccumulative potential

Partition coefficient: n-octanol/water (log K_{ow}):

Value	Concentration	pH	°C	Method	Evaluation	Note
-	No information available	-	-	No information available	No information available	-

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION			
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022	Version: 2

Bioconcentration factor (BCF)				
Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

Chronic ecotoxicity						
Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (<i>Daphnia</i>)	EC ₅₀	No information available	No information available	No information available	No information available	-

12.4. Mobility in soil						
Known or predicted distribution in environmental compartments:						
No information available						
Surface tension:						
Value	°C	Concentration	Method	Note		
No information available	No information available	No information available	No information available	-		

Adsorption / desorption						
Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note	
Soil-water	No information available	No information available	No information available	No information available	-	
Water-air	No information available	No information available	No information available	No information available	-	
Soil-air	No information available	No information available	No information available	No information available	-	

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION		
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022
		Version:	2

12.5.	Results of PBT and vPvB assessment
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.6.	Endocrine disrupting properties
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7.	Other adverse effects
	No information available
SECTION 13 DISPOSAL CONSIDERATIONS	
13.1.	Waste treatment methods
13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Law:
	No information available
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
13.1.6.	Relevant Community provisions:
	-

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION		
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022
		Version:	2

SECTION 14 TRANSPORT INFORMATION

Transporting/shipment by road (ADR)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION		
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022
		Version:	2

Special precautions for user:	-
Further information:	-

SECTION 15 REGULATORY INFORMATION

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	EU regulations	
	Authorization and/or restrictions of use	
	Authorizations:	-
	Restrictions:	-
	Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
	National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>
15.2.	Chemical safety assessment	
	None	

SECTION 16 Other information

16.1.	Indication of changes:	-
-------	------------------------	---

Trading name:	POTASSIUM HEXACYANOFERRATE, COLLOIDAL IRON SOLUTION		
Product code:	KHCK-OT-X**	Date of compilation:	21 Dec 2022
		Version:	2

16.2.	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	H:	-
16.6.	Training advice:	
		-
16.7.	Further information:	<p>** "X" in the product code marks different volumes (different packagings of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>

ANNEX:
Exposure scenario resulting to Chemical safety assessment
-