

MATERIAL SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: CryoChem Cryostat Disinfectant

Product Code: REA023

Manufacturer: Histo-Line

Brand: Solmedia Ltd

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Disinfecting Agent

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Solmedia Ltd.

- Address of Supplier: Unit 2, Vernon Drive

Battlefield Enterprise Park

Shrewsbury SY1 3TF UK

- Telephone: 0844 80 80 900

- Email: labsupplies@solmedialtd.com

1.4 Emergency telephone number

Emergency Phone # +44 (0)844 80 80 900

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquid and vapour

Causes skin irritation

Causes serious eye damage

2.2 Label elements

Hazard Statements H226 Flammable liquid and vapour

H318 Causes serious eye damage

H335 May cause respiratory irritation

H400 Very toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Signal Word: Danger



Hazard Pictograms: GHS02: Flame

GHS05: Corrosion

GSH09: Environmental



Precautionary Statements

P211 Do not spray on an open flame or other ignition source

P261 Pressurized container – Do not pierce or burn, even after use

P262 Do not get in eyes, on skin, or on clothing

P101 If medical advice is needed, have product container or label at

hand

P102 Keep out of reach of children

P273 Avoid release to the environment.

P310 Immediately call a poison canter or doctor-physician.

P501 Dispose of contents-container to a licensed waste disposal

company.

2.3 Other hazards

PBT: PBT and vPvB assessment. PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

CAS No.	Component	Classification	Description before Dilution	%
64-17-5	Ethyl Alcohol	H226	Flammable liquid and Vapour	≤50-60%
	,			
	Clad a relative a	11202 11240 11400	A such a Taux A	40.3.0.30 /
55-56-1	Chlorhexidine	H302, H318, H400	Acute Tox. 4	≤0.2-0.3%
			Acute Tox. 4	
			Very toxic to aquatic life	



60-29-7	Diethyl Ether	H225, H400	Highly flammable liquid and	≤2.0-3.0%
			vapour	
			Very toxic to aquatic life	

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: Immediately remove any clothing soiled by the product. Remove

breathing equipment only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory

arrest provide artificial respiration.

Skin Contact: Call a doctor immediately.

Immediately wash with water and soap and rinse thoroughly.

Wash contaminated clothing before reuse.

Eye Contact: Seek immediate medical advice.

Rinse opened eye for several minutes under running water.

Then consult a doctor.

Ingestion: Never give anything by mouth to an unconscious person. Induce

vomiting and call for medical help.

Inhalation: Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for

transportation.

Information for doctor.

Show the doctor this Material Safety Data Sheets.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

General Information: As in any fire, wear a self-contained breathing apparatus in

pressure-demand, MSHA/NIOSH (approved or equivalent), and full

protective gear.

5.1 Extinguishing media

Suitable extinguishing agents



CO2 or alcohol resistant foam

Unsuitable extinguishing agents

Water with full jet.

5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures. During heating or in case of fire poisonous gases are produced. Carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. In closed rooms wear a self - contained breathing apparatus. Do not inhale gases in case or fire or combustion.

5.4 Further information

Keep receptacles cool with water spray.

SECTION 6: Accidental release measures

General Information: Use proper personal protective equipment as indicated in Section 8.

6.1 Personal precautions, protective equipment and emergency procedures

Keep away any ignition source. Wear protective equipment. Keep unprotected persons away. If vapours - aerosols are formed, use personal protective equipment.

6.2 Environmental precautions

Dilute with plenty of water after collecting the liquid. Prevent seepage into sewage system, work pits and cellars. Do not allow to enter sewers - surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and materials for containment and cleaning up

Ventilate area and wash spill site after material pickup is complete. Collect the liquid with vacuum in a suitable container and absorb the remainder with a porous material (diatomite, acid binders, universal binders, etc). Ensure adequate ventilation.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid prolonged or repeated exposure. Avoid contact with eyes, skin, and clothing. Ensure good ventilation - exhaustion at the workplace. Only handle and refill product in closed systems or under local exhaust. Pneumatic conveyance only with nitrogen or other inert gases. Keep receptacles non-in use, tightly sealed.

Open and handle receptacle with care. Information about fire - and explosion protection. Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage. Requirements to be met by storerooms and receptacles. Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Information about storage in one common storage facility: Store away from oxidizing agents

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

ETHYL ALCOHOL

State	8 -hour TWA	15 min STEL	8- hour TWA	15 min STEL
UK	1920 mg/m3	-	-	-

8.2 Exposure controls

Personal Protective Equipment

Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the skin.

Respiratory protection:

Dust filter (P1 / FFP1).



Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Filter P1 (EN 143), in case of dust-producing handlings.

Skin Protection



Wear protective gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

Material of gloves. The glove material has to be impermeable and resistant to the product - the substance - the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Respiratory protection:

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Face shield. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Suitable respiratory protective device recommended in case of leakages or handling in open devices.

Eye Protection:

Chemical safety goggles.

Body Protection:



In case of pouring big amounts or disconnecting pipes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Molecular weight

Appearance:

Form fluid

Colour uncoloured

Odour alcohol-like

Odour threshold not determined.

pH-value not determined.

Change in condition

Melting point melting range

-98°C

Boiling point boiling range

64.7°C

Flash point 12°C

Flammability (solid, gaseous)

not applicable.

Ignition temperature 425°C

Decomposition temperature

not determined.

Self-igniting not determined.

Danger of explosion product is not explosive. However, formation of explosive air vapour

mixtures are possible.

Explosion limits:

Lower 5.5 Vol %

Upper 44 Vol %

Vapour pressure at 20°C



128 hPa

Density at 20°C 0.79 g/cm³

Relative density not determined.

Vapour density not determined.

9.2 Other safety information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition - conditions to be avoided. No decomposition if used according to specifications.

Conditions to avoid - heat, flames and sparks

10.3 Possibility of hazardous reactions

Can react violently with oxygen rich (oxidizing) material. Danger of

explosion.

10.4 Conditions to avoid

No further relevant information available

10.5 Incompatible materials

hydrogen peroxide. Hazardous decomposition products. Carbon

monoxide, Carbon dioxide.

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

On the skin: no irritant effect.

On the eye: no relevant irritating effects.

Ingestion: it can be harmful if swallowed.



Inhalation: may be harmful if inhaled.

Sensitization: no sensitizing effects known.

Other information (about experimental toxicology).

No more relevant data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

The product is easily biodegradable.

Behaviour in environmental systems.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

Additional ecological information.

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation.

Must not be disposed together with household garbage.



Do not allow product to reach sewage system.

Reutilise if possible or contact a waste-processors for recycling or safe disposal.

Waste disposal key.

The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country.

So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste. 2001/573/EC: Council Decision of 23 July 2001 amending the list of wastes contained in Decision 2000/532/EC. Council Directive 91/156/EEC of 18 March 1991 amending Directive 75/442/EEC on waste.

Uncleaned packaging:

The containers and packing materials contaminated with dangerous substances or preparations, have the same treatment products. Directive 94/62/EC of the European Parliament and the Council of 20 December 1994 on packaging and packaging waste.

Recommendation.

Disposal must be made according to official regulations. Packaging's that may not be cleansed are to be disposed of in the same manner as the product.

Wash with solvents to be incinerated.

SECTION 14: Transport information

14.1 UN number

ADR/RID class: 3 (FT1) Flammable liquids.

ICAO/IATA Class: 3

IMDG Class: 3

Danger code (Kemler): 336

UN-Number: 1170

EMS Number: F-E,S-D

4.2 UN proper shipping name

1170 ethanol (ethyl alcohol)



14.3 Transport hazard class(es)

Hazard label 3

14.4 Packaging group

Ш

14.5 Environmental hazards

Marine pollutant: No

14.6 Special precautions for user

Excepted quantities (EQ): E2

Limited quantities (LQ) LQ0

Transport category 2

Tunnel restriction code D/E

UN "Model Regulation": ADR 2009 - Italian Official Translation, ed. ARS IT editions.

Special precautions for user Warning.

Flammable liquids.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 a Modified according to rules CE 453/2010

Water hazard class (WGK): strongly hazardous to water (WGK 3)

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

This information is based on present knowledge.

However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H335 May cause respiratory irritation



H400 Very toxic to aquatic life

Sources.

Directive 67/548/EC, in the latest valid version. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006, REACH. Regulation (EC) N° 1272/2008 of the European Parliament and of the Council of 16 December 2008, CLP, in the latest valid version.

Globally Harmonized System, GHS

References.

ECDIN (Environmental Chem. Data and Information Network).

IUCLID (International Uniform Chemical Information Database).

NIOSH - Registry of Toxic Effects of Chemical Substances.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Solmedia Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.