
MATERIAL SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Leishman Stain
Product code: HAE002
Brand: Solmedia Ltd

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Name of Supplier: Solmedia Ltd.
Address of Supplier: Unit 2, Vernon Drive
Battlefield Enterprise Park
Shrewsbury
SY1 3TF
UK
Telephone: 0844 80 80 900
Email: labsupplies@solmedialtd.com

1.4 Emergency telephone number

Emergency Phone: +44 (0)844 80 80 900

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

STOT SE 1: H370; Acute Tox. 3: H301+311+331; Flam. Liq. 2: H225

Most important adverse effects:

Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to organs.

2.2 Label elements

Hazard statements: H225: Highly flammable liquid and vapour.
H301+311+331: Toxic if swallowed, in contact with skin or if inhaled.
H370: Causes damage to organs.

Signal words: Danger

Hazard pictograms: GHS02: Flame
GHS06: Skull and crossbones

GHS08: Health hazard

**Precautionary statements:**

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P321: Specific treatment (see instructions on this label).

P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.

P307+311: IF exposed: Call a POISON CENTRE or doctor.

P311: Call a POISON CENTRE or doctor.

2.3 Other hazards

In use, may form flammable / explosive vapour-air mixture.

PBT:

This product is not identified as a PBT/vPvB substance.

SECTION 3: Composition/information on ingredients**3.1 Mixtures and substances**

Hazardous ingredients Classification according to Regulation (EC) No. 1272/2008 [CLP]

			Classification (Regulation (EC) No 1272/2008 [CLP])	
Hazardous Components		Amount [%]	Hazard class/ Hazard category	Hazard Statements
Name:	Methanol	>90.0%	FLAM. LIQ. CAT 2. ACUTE TOX. CAT 3. STOT SE. CAT 1.	H225
CAS NO.	67-56-1			H331
EC-NO.	200-659-6			H311
EU REACH-REG. NO.	01-2119433307- 44-XXXX			H301 H370
Name:	Leishman stain powder	<2%	N/A	N/A
CAS NO.	12627-53-1			
EC-NO.	235-732-1			

SECTION 4: First aid measures**4.1 Description of first aid measures**

Datasheet number: HAE002 - v2.0.0

Revised April 2025

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

In case of skin contact After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.

After eye contact In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Give nothing to eat or drink

4.2 Most important symptoms and effects, both acute and delayed

Skin contact:	There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.
Eye contact:	There may be severe pain. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

4.4 Self-protection of the first aider

First aider: Pay attention to self-protection!

4.5 Information to physician

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Highly flammable. Toxic. In combustion emits toxic fumes. Vapour may travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Notify the police and fire brigade immediately. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2 Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3 Methods and materials for containment and cleaning up

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid direct contact with the substance. Ensure there is exhaust ventilation of the area. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build-up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

Suitable packaging: Not applicable.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Hazardous ingredients:

Methanol

Workplace exposure limits:

Respirable dust

State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK	266 mg/m ³	333 mg/m ³	-	-

DNEL / PNEC

No data available.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protective equipment

Wear suitable protective clothing. When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn. For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique

(Without touching glove's outer surface) to avoid skin contact with this product. Dispose of

Contaminated gloves after use in accordance with applicable laws and good laboratory practices.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Wash and dry hands.

Body Protection

Impervious clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection should be used if mist or aerosol exposure or if exhaust or adequate ventilation is not available. For nuisance exposures use type OV/AG (US) or type ABEK

(EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye protection:



Goggles recommended during refilling: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

Additional Information

Wash hands before breaks and after work. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Control of environmental exposure

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities. If material reaches soil inform authorities responsible for such cases.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State: Liquid

9.2 Other safety information

Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions. Stable at room temperature.

10.3 Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Heat. Hot surfaces. Sources of ignition. Flames.

10.5 Incompatible materials

Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

In combustion emits toxic fumes.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients:

Methanol

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (toxic)	INH DRM ING	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.

Eye contact: There may be severe pain. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.

Delayed / immediate effects:

Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

SECTION 12: Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Negligible ecotoxicity.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Not applicable.

Disposal of packaging: Dispose of as unused product.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: Transport information

14.1 UN number

UN1230

14.2 UN proper shipping name

METHANOL

14.3 Transport hazard class(es)

3 (6.1)

14.4 Packaging group

II

14.5 Environmental hazards

No

Marine pollutant: No**14.6 Special precautions for user****Special precautions:** No special precautions.**Tunnel code:** D/E**Transport category:** 2

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16: Other information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

Phrases used in s.2 and 3:

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H301+311+331: Toxic if swallowed, in contact with skin or if inhaled.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H370: Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Solmedia Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.