

#### **MATERIAL SAFETY DATA SHEET**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name: Giemsa Stain
Product code: HST505
Brand: Solmedia Ltd

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** PC21: Laboratory chemicals.

### 1.3 Details of the supplier of the safety data sheet

Name of Supplier: Solmedia Ltd.

Address of Supplier: Unit 2, Vernon Drive

Battlefield Enterprise Park

Shrewsbury SY1 3TF UK

**Telephone:** 0844 80 80 900

Email: <a href="mailto:labsupplies@solmedialtd.com">labsupplies@solmedialtd.com</a>

# 1.4 Emergency telephone number

**Emergency Phone**: +44 (0)844 80 80 900

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

STOT SE 1: H370; Acute Tox. 3: H301+311+331; Flam. Liq. 1: H224

#### Most important adverse effects:

Extremely flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to organs.

### 2.2 Label elements

**Hazard statements:** H224: Extremely flammable liquid and vapour.

H301+311+331: Toxic if swallowed, in contact with skin or if inhaled.

H370: Causes damage to organs.

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS06: Skull and crossbones



#### GHS08: Health hazard







# **Precautionary statements:**

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.

P307+311: IF exposed: Call a POISON CENTER or doctor.

P311: Call a POISON CENTER or doctor.

P321: Specific treatment (see instructions on this label).

### 2.3 Other hazards

In use, may form flammable / explosive vapour-air mixture.

**PBT:** This product is not identified as a PBT/vPvB substance.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### **Hazardous ingredients:**

#### **METHANOL**

EINECS	CAS	CLP Classification	Percent
200-659-6	67-56-1	Flam. Liq. 2: H225; Acute Tox. 3: H331;	30-50%
		Acute Tox. 3: H311; Acute Tox. 3: H301;	
		STOT SE 1: H370	

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless

stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if

there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to

hospital for specialist examination.



**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious,

give half a litre of water to drink immediately. If unconscious, check

for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position.

Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst

doing so. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be redness or whiteness of the skin in the area of

exposure. Irritation or pain may occur at the site of contact.

Absorption through the skin may be fatal.

**Eye contact:** There may be severe pain. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. There

may be vomiting. Convulsions may occur. There may be loss of

consciousness.

**Inhalation:** There may be shortness of breath with a burning sensation in the

throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be

loss of consciousness.

# Delayed / immediate effects:

Immediate effects can be expected after short-term exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. Show this safety data

sheet to the doctor in attendance.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical

powder. Use water spray to cool containers.

## 5.2 Special hazards arising from the substance or mixture

Highly flammable. Toxic. In combustion emits toxic fumes. Vapour may travel considerable distance to source of ignition and flash

back.

#### 5.3 Advice for firefighters



Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Notify the police and fire brigade immediately. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

# **6.2 Environmental precautions**

Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3 Methods and materials for containment and cleaning up

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

#### 6.4 Reference to other sections

Refer to section 8 of SDS.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid direct contact with the substance. Ensure there is exhaust ventilation of the area.

Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build-up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

### 7.3 Specific end use(s)

No data available.



# **SECTION 8: Exposure controls/personal protection**

# **8.1 Control parameters**

# **Hazardous ingredients:**

### **METHANOL**

Workplace exposure limits: Respirable dust

State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK	266 mg/m3	333 mg/m3	-	-

# **DNEL/PNEC Values**

### **METHANOL**

Type	Exposure	Value	Population	Effect
DNEL	Dermal	40 mg/kg	Workers	Systemic
DNEL	Dermal	8 mg/kg	Consumers	Systemic
DNEL	Ingestion	8 mg/kg	Consumers	Systemic
DNEL	Dermal	40 mg/kg	Workers	Systemic
DNEL	Dermal	8 mg/kg	Consumers	Systemic
DNEL	Ingestion	8 mg/kg	Consumers	Systemic
DNEL	Inhalation	260 mg/kg	Workers	Systemic
DNEL	Inhalation	260 mg/kg	Workers	Local
PNEC	Inhalation	260 mg/kg	Workers	Systemic
DNEL	Inhalation	260 mg/kg	Workers	Local
DNEL	Inhalation	50 mg/kg	Consumers	Systemic
DNEL	Inhalation	50 mg/kg	Consumers	Local
DNEL	Inhalation	50 mg/kg	Consumers	Systemic
DNEL	Inhalation	50 mg/kg	Consumers	Local
PNEC	Soil	23.5 mg/kg	-	-
PNEC	Marine Water	15.4 mg/l	-	-
PNEC	Fresh Water	154 mg/1	-	-
PNEC	Fresh Water Sediments	570.4 mg/kg	-	-
PNEC	Onsite sewage treatment plant	100 mg/kg	-	-

# **8.2 Exposure controls**

Engineering measures: Ensure there is exhaust ventilation of the area. Ensure lighting and

electrical equipment are not a source of ignition.

Respiratory protection: Self-contained breathing apparatus must be available in case of

emergency.

**Hand protection:** Impermeable gloves.

**Eye protection:** Safety glasses with side-shields. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.



**Environmental:** Not applicable.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

State: Liquid

Colour: Purple

Odour: Slightly Alcoholic

Solubility in water: Soluble

Flash point°C: 11

Relative density: 1.02 at 20°C

9.2 Other safety information

Not applicable.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions. Stable at room temperature.

### 10.3 Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or

storage conditions.

Decomposition may occur on exposure to conditions or materials

listed below.

10.4 Conditions to avoid

Heat. Hot surfaces. Sources of ignition. Flames.

10.5 Incompatible materials

Strong oxidising agents. Strong acids.

#### 10.6 Hazardous decomposition products

In combustion emits toxic fumes.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects



### **Hazardous ingredients:**

#### **METHANOL**

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (toxic)	INH DRM ING	Hazardous: calculated

# Symptoms / routes of exposure

**Skin contact:** There may be redness or whiteness of the skin in the area of

exposure. Irritation or pain may occur at the site of contact.

Absorption through the skin may be fatal.

**Eye contact:** There may be severe pain. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. There

may be vomiting. Convulsions may occur. There may be loss of

consciousness.

**Inhalation:** There may be shortness of breath with a burning sensation in the

throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be

loss of consciousness.

# Delayed / immediate effects:

Immediate effects can be expected after short-term exposure.

**Other information:** Not applicable.

### **SECTION 12: Ecological information**

# 12.1 Toxicity

### **Hazardous ingredients:**

#### **METHANOL**

ALGAE	96H EC50	22000	mg/l
DAPHNIA	48H EC50	>10000	mg/l
FISH	96H LC50	15400	mg/l

### 12.2 Persistence and degradability

Biodegradable.

# 12.3 Bioaccumulative potential



No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Negligible ecotoxicity.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by

specialised disposal company.

**Recovery operations:** Not applicable.

**Disposal of packaging:** Dispose of as unused product.

**NB:** The user's attention is drawn to the possible existence of regional or

national regulations regarding disposal.

# **SECTION 14: Transport information**

14.1 UN number

UN1230

14.2 UN proper shipping name

METHANOL, SOLUTION

14.3 Transport hazard class(es)

3 (6.1)

14.4 Packaging group

2

14.5 Environmental hazards

No

Marine pollutant: No

14.6 Special precautions for user

No special precautions.



### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### **SECTION 16: Other information**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

#### Phrases used in s.2 and 3:

H224: Extremely flammable liquid and vapour.

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H301+311+331: Toxic if swallowed, in contact with skin or if inhaled.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H370: Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Solmedia Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.