MATERIAL SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Isopropyl alcohol 99.9% ACS (2-Propanol)

Product number: IPA005, IPA010, IPA025

CAS number: 67-63-0
EINECS number: 200-661-7
Brand: Solmedia Ltd

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Solmedia Ltd.

- Address of Supplier: Unit 2, Vernon Drive

Battlefield Enterprise Park

Shrewsbury SY1 3TF UK

- Telephone: 0844 80 80 900

- Email: <u>labsupplies@solmedialtd.com</u>

1.4 Emergency telephone number

Emergency Phone # +44 (0)844 80 80 900

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP: Regulation (EC) No. 1272/2008 [CLP]

Hazard Class	Hazard Category	Hazard Statement
Flammable liquid	Category 2	H225
Eye irritant	Category 2	H319
Single target organ toxicity – single exposure	Category 3	H336

2.2 Label elements

Label elements under CLP:

Hazard statements: H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark





Precautionary statements

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+378: In case of fire: Use dry powder or dry sand for extinction.

P403 Store in a well-ventilated place.

P235 Keep cool.

2.3 Other hazards

Other hazards: This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB)

at levels of 0.1% or higher.

PBT: This product is not identified as a PBT/vPvB substance.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical identity: Isopropyl alcohol (2-Propanol) ≤99.9% ACS

CAS number: 67-63-0 EINECS number: 200-661-7 Index number: 603-117-00-0

Contains: Molecular Formula: C3H8O

Molecular weight: 60.10 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration or oxygen if necessary. In case of respiratory tract irritation, consult a physician.

In case of skin contact After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.

After eye contact In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Give nothing to eat or drink

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: No data available

Inhalation: No data available

Delayed / immediate effects: Drowsiness or mental confusion may occur.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Dry chemical powder. Dry Sand

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

Wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Eliminate all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Refer to section 8 of SDS for personal protection details. Evacuate the area immediately.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Refer to section 13 of SDS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling requirements: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool, well ventilated area. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

No special requirement.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	Basis
EU/UK	999 mg/m3	1,250 mg/m3	UK. EH40 WEL – Workplace exposure
			limits.

DNEL / PNEC No data available.

8.2 Exposure controls

Engineering measures: Handle in accordance with good industrial hygiene and safety practice. Wash


hands before breaks and at the end of workday.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves. Nitrile gloves. Rubber gloves. Breakthrough time of the

glove material > 8 hours.

Datasheet Number IPA005, IPA010, IPA025 v2.0.0 Revised April 2025



Eye protection: Face-shield. Safety glasses.

Skin protection: Impervious clothing. Flame retardant antistatic protective clothing. The type

of protective equipment must be selected according to the concentration

and amount of the dangerous substance at the specific workplace.

Environmental: Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State: Liquid
Colour: Colourless
Odour: Alcoholic
Boiling point/range°C: 82
Melting point/range°C: -89.5
Flammability limits %: lower: 2

upper: 12.7

Flash point°C: 12

Part.coeff. n-octanol/water: log Pow: 0.05

Autoflammability°C: 425 Relative density: 0.785 g/ml

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Reacts with air to form peroxides. Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat. Flames. Sources of ignition.

10.5 Incompatible materials

Oxidising agents. Acid anhydrides. Aluminium. Halogens. Acids

.10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	5,045	mg/kg
GASES	RAT	4H LC50	37.5	mg/kg
DERMAL	RBT	LD50	12,800	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Based on test data
STOT-single exposure	-	Based on test data

Symptoms / routes of exposure:

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: No data available. **Inhalation:** No data available.

Delayed / immediate effects: Drowsiness or mental confusion may occur.

SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicity Values

Species	Test	Value	Units
FISH	96H LC50	9,640	mg/l
DAPHNIA	48H EC50	13,299	mg/l
ALGAE	72H IC50	1,000	mg/l

12.2 Persistence and degradability

Readily biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment



This product is not identified as a PBT/vPvB substance

.12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal operations: Offer surplus and non-recyclable solutions to a licensed disposal

company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the

product itself.

Disposal of packaging: Dispose of as unused product.

NB: The user's attention is drawn to the possible existence of regional or

national regulations regarding disposal.

SECTION 14: Transport information

14.1 UN number

UN1219

14.2 UN proper shipping name

14.3 Transport hazard class(es)

3

14.4 Packaging group

2

14.5 Environmental hazards

No

14.6 Special precautions for user

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16: Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Solmedia Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.