

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	RELYON VIRKON TABLETS
Product code	:	000000000057808559
UFI	:	FHM6-102V-300K-PFF5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Disinfectants, Cleaning agent
-----------------------------------	---	-------------------------------

1.3 Details of the supplier of the safety data sheet

Company	:	Antec International Limited Windham Road CO10 2XD Sudbury / Suffolk Chilton Industrial Estate, Great Britain
---------	---	---

Responsible Department	:	+49 221 8885 2288 infosds@lanxess.com
------------------------	---	--

1.4 Emergency telephone number

Emergency telephone number	:	For 24/7 multilingual emergency please call CHEMTREC EMEA: +44 20 3885 0382 and mention CCN1018725.
----------------------------	---	---

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	10.06.2025	203000008840	03.01.2023
			Country / Language: GB / 6N(EN)

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide
potassium hydrogensulphate

Additional Labelling

EUH208 Contains dipotassium peroxodisulphate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version 5.0 Revision Date: 10.06.2025 SDS Number: 203000008840 Date of last issue: 03.01.2023
Country / Language: GB / 6N(EN)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate)	70693-62-8 274-778-7 01-2119485567-22	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 30 - < 50
malic acid	6915-15-7 230-022-8	Eye Irrit. 2; H319	>= 20 - < 30
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	Not Assigned 932-051-8	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10
sulphamidic acid	5329-14-6 226-218-8 016-026-00-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2.5 - < 10
potassium hydrogensulphate (Impurity)	7646-93-7 231-594-1 016-056-00-4	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory sys- tem)	>= 1 - < 3
dipotassium peroxodisulphate (Impurity)	7727-21-1 231-781-8 016-061-00-1	Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory sys- tem)	>= 0.1 - < 1

For explanation of abbreviations see section 16.

Disclaimer: EC numbers starting with 1, 6, 7, 8, 9, or a letter in this document are ECHA List
Numbers used for internal reference and do not carry legal significance as typical EC Numbers in
Safety Data Sheets.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	10.06.2025	203000008840	03.01.2023
			Country / Language: GB / 6N(EN)

Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

- | | | |
|----------------------------|---|---|
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. |
| If inhaled | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If symptoms persist, call a physician.
If unconscious, place in recovery position and seek medical advice. |
| In case of skin contact | : | If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes. |
| In case of eye contact | : | Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|-------|---|---|
| Risks | : | Causes skin irritation.
Causes serious eye damage. |
|-------|---|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | In case of fire, use water spray (fog), foam or dry chemical. |
| Unsuitable extinguishing media | : | Carbon dioxide (CO ₂)
High volume water jet |

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
|---------------------------------------|---|---|

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Hazardous combustion products : Sulphur oxides
Metal oxides
Carbon dioxide (CO₂)
Carbon monoxide
Nitrogen oxides (NO_x)
Halogenated compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Protect from moisture.

Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Protect from moisture. Keep away from: Combustible substances Strong bases

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : Keep away from alkalis.

Further information on storage stability : Keep in a dry place. Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

|| Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection
Material : Butyl rubber - IIR
Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

with the producers of the protective gloves.
After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Wear suitable protective clothing.

Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Recommended Filter type:

ABEK-P2-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : tablet

Physical state : solid

Colour : pink

Odour : odourless

Odour Threshold : No data available

pH : 2.6 - 3.2
Concentration: 10 %

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Burning number : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

flammability limit

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : 65 g/l

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : The product has been shown not to be oxidizing in a test following Directive 67/548/EEC (Method A17, Oxidizing properties).

Method: Regulation (EC) No. 440/2008, Annex, A.17

9.2 Other information

Particle Size Distribution : No data available

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions :
Under normal conditions of storage and use, hazardous reactions will not occur.
Stable under recommended storage conditions.
Dust may form explosive mixture in air.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture

10.5 Incompatible materials

Materials to avoid : Strong bases
Combustible substances

10.6 Hazardous decomposition products

Hazardous decomposition products : Chlorine
Sulphur oxides
Hypochlorites

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, male and female): 4,123 mg/kg Method: OECD Test Guideline 401 GLP: Yes
Acute inhalation toxicity	: LC50 (Rat, male and female): > 3.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by the inhalation route.
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Remarks: Extrapolation according to Regulation (EC) No. 440/2008

Components:

Trihydrogen pentapotassium di(peroxomonosulfate) di(sulfate):

Acute oral toxicity	: LD50 (Rat, male and female): 500 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	: LC0 (Rat, male): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest producible concentration.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

malic acid:

Acute oral toxicity : LD50 (Rat, male and female): 3,500 mg/kg
Method: OECD Test Guideline 401
GLP: No

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.306 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: No

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Acute oral toxicity : LD50 (Rat, male and female): 2,240 mg/kg
Method: OECD Test Guideline 401
GLP: No

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Remarks: Test results on an analogous substance/product.

sulphamidic acid:

Acute oral toxicity : LD50 (Rat, female): 2,140 mg/kg
Method: OECD Test Guideline 401
GLP: Yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Assessment: The substance or mixture has no acute dermal toxicity

potassium hydrogensulphate:

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

dipotassium peroxodisulphate:

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Irritating to skin.

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Causes burns.

malic acid:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation
GLP	: No

sulphamidic acid:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Irritating to skin.

potassium hydrogensulphate:

Assessment	: Causes burns.
------------	-----------------

dipotassium peroxodisulphate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.

malic acid:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye
GLP	:	No

sulphamidic acid:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.

dipotassium peroxodisulphate:

Result	:	Irritating to eyes.
--------	---	---------------------

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitisation on laboratory animals.

Exposure routes	:	Inhalation
Species	:	Mammal - species unspecified
Method	:	Expert judgement
Result	:	Does not cause respiratory sensitisation.

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

malic acid:

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.
GLP	: Yes

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.
GLP	: Yes

Remarks : Test results on an analogous substance/product.

sulphamidic acid:

Result	: Did not cause sensitisation on laboratory animals.
--------	--

dipotassium peroxodisulphate:

Exposure routes	: Inhalation
Species	: Mammal - species unspecified
Result	: May cause sensitisation by inhalation.

Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Genotoxicity in vitro	: Test system: Mammalian-Animal Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: positive GLP: Yes
-----------------------	---

Test system: Bacteria Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: Yes

Test system: Mammalian-Human Metabolic activation: with and without metabolic activation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Method: OECD Test Guideline 473
Result: positive
GLP: Yes

Genotoxicity in vivo : Species: Mammalian-Animal
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

malic acid:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: Yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: Yes
Remarks: Test results on an analogous substance/product.

sulphamidic acid:

Genotoxicity in vitro : Test system: Mammalian-Human
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: Yes

Test system: Mammalian-Animal
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Carcinogenicity

Not classified due to lack of data.

Components:

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Species	: Rat, male and female
Application Route	: Dermal
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: negative
GLP	: Yes
Remarks	: Test results on an analogous substance/product.

Species	: Mouse, male and female
Application Route	: Dermal
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: negative
GLP	: Yes
Remarks	: Test results on an analogous substance/product.

Reproductive toxicity

Not classified due to lack of data.

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Effects on foetal development	: Remarks: No teratogenic or foetotoxic effects were found at all dose levels tested.
-------------------------------	---

malic acid:

Effects on foetal development	: Remarks: No known significant effects or critical hazards.
-------------------------------	--

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Effects on fertility	: Test Type: Three-generation study Species: Rat, male and female Application Route: Oral Dose: 0 - 14 - 70 milligram per kilogram General Toxicity - Parent: NOAEL: 350 mg/kg body weight General Toxicity F1: NOAEL: 350 mg/kg body weight General Toxicity F2: NOAEL: 350 mg/kg body weight Fertility: NOAEL: 350 mg/kg body weight Early Embryonic Development: NOAEL: 350 mg/kg body weight Result: No effects on fertility and early embryonic development were detected. GLP: No Remarks: Test results on an analogous substance/product.
----------------------	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat, female
Application Route: Oral
Dose: 0,2 - 2 - 300 - 600 milligram per kilogram
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Teratogenicity: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 300 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 600 mg/kg body weight
GLP: No
Remarks: Test results on an analogous substance/product.

STOT - single exposure

Not classified due to lack of data.

Components:

potassium hydrogensulphate:

Assessment : May cause respiratory irritation.

dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Species : Rat, male and female
LOAEL : > 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Number of exposures : 7 days/week
Method : OECD Test Guideline 407
Remarks : Subacute toxicity

Species : Rat, male and female
LOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : 7 days/week
Method : OECD Test Guideline 408
Remarks : Subchronic toxicity

malic acid:

Remarks : No known significant effects or critical hazards.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Species : Rat, male and female

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 270 d
Dose : 85-145-430 mg/kg bw/d
Remarks : Chronic toxicity
Test results on an analogous substance/product.

Species : Mouse, male and female
NOAEL : 440 mg/kg
LOAEL : 1,300 mg/kg
Application Route : Skin contact
Exposure time : 90 d
Dose : 17-50-140-440-1300 mg/kg bw/d
Method : OECD Test Guideline 411
GLP : Yes
Remarks : Subchronic toxicity
Test results on an analogous substance/product.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Salmo salar (Atlantic salmon)): 24.6 mg/l
Exposure time: 96 h
Method: Regulation (EC) No. 440/2008, Annex, C.1
Remarks: Fresh water

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 6.5 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Fresh water

Toxicity to algae/aquatic : NOEC (Desmodesmus subspicatus (green algae)): 6.25 mg/l
plants : Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Fresh water

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

GLP: Yes
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

malic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: Yes
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 240 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

NOEC (algae): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 5.5 mg/l
Exposure time: 96 h
Analytical monitoring: Yes
Method: OECD Test Guideline 203
GLP: Yes

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 8.8 mg/l
Exposure time: 48 h
Analytical monitoring: Yes
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 72 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: Yes
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

EC10 (Desmodesmus subspicatus (green algae)): 8.4 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: Yes
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

Toxicity to microorganisms : EC10 (Pseudomonas putida): 56 mg/l
End point: Growth rate
Exposure time: 16 h
Analytical monitoring: No
Method: DIN 38 412 Part 8
GLP: Yes

Toxicity to fish (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l
Exposure time: 72 d
Species: Oncorhynchus mykiss (rainbow trout)
Analytical monitoring: Yes
GLP: Yes
Remarks: Fresh water
Test results on an analogous substance/product.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: Yes
Method: OECD Test Guideline 211
GLP: Yes
Remarks: Fresh water
Test results on an analogous substance/product.

sulphamidic acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: No

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 71.6 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

Toxicity to microorganisms : EC50 : > 200 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: Yes
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC: >= 60 mg/l
Exposure time: 34 d
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 19 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

12.2 Persistence and degradability

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Biodegradability : Result: Expert judgement: not chronically bioavailable in the aquatic environment
Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

malic acid:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: 67.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: Yes

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 94 %
Exposure time: 28 d
Method: Regulation (EC) No. 440/2008, Annex, C.4-A

sulphamidic acid:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

dipotassium peroxodisulphate:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Components:

Trihydrogen pentapotassium di (peroxomonosulfate) di(sulfate):

Partition coefficient: n-octanol/water : log Pow: < 0.3
Method: OECD Test Guideline 117

malic acid:

Partition coefficient: n-octanol/water : log Pow: -1.26

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)
pH: 6
Method: OECD Test Guideline 117

sulphamidic acid:

Partition coefficient: n-octanol/water : log Pow: -4.34

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	10.06.2025	203000008840	03.01.2023
			Country / Language: GB / 6N(EN)

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Hazard and Handling Notes : Not dangerous cargo.
Irritating to skin.
Risk of serious damage to eyes.
Keep dry.
Keep away from foodstuffs, acids and alkalis.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	: Not applicable
Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors.	: Neither banned nor restricted
Council Regulation (EC) No 273/2004 on drug precursors	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)
Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

SECTION 16: Other information

Full text of H-Statements

H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H334	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	: May cause respiratory irritation.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Ox. Sol.	: Oxidizing solids
Resp. Sens.	: Respiratory sensitisation
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RELYON VIRKON TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2023
5.0	10.06.2025	203000008840	Country / Language: GB / 6N(EN)

SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
Aquatic Chronic 3	H412

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.